


INDIANA. N & W 2 P. M.



Quantity of the part which lies within Vincennes District. 5,279.19
 Township N°X North, Range N°I West of 2nd Meridian Surveyed by William Harris. 1816,
 & Thos. Brown. 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
25.36	Part loess & part broken 2 nd & 3 rd rates W.P. Oak. Hickory &c.	32.33	Gravelly & middling quality. Oak, Beech, Poplar, Ash.	31.32	Beech bottom, middling good for farming.
25.36	Same	27.31	ditto	29.32	Next to same. East high ground, some Poplar, middling good
25.26	Broken 3 rd rate timber same with bark.	27.28	ditto	27.30	Land hilly. Beech, Sugar, Oak &c.
24.25	Part loess & part broken 2 nd & 3 rd rates timber same	22.27	Land broken 3 rd rates W.P. Oak. Hickory	26.26	Land broken & hilly
23.24	Broken 2 nd rate	21.27	Same. first 2 nd rate	19.26	Land hilly. Oak, Beech, Poplar &c.
13.24	Same	15.22	Same	17.20	Same. Broken
13.14	Same. first 2 nd rate	15.16	Same	17.18	Same.
13.13	Same. Broken	10.15	Same	8.17	Land level 2 nd rate
11.13	Same	9.16	Same	7.16	Same. 3 rd rate
1.12	Same	9.16	Same	5.8	Same
1.2	Same	3.4	Same	5.6	Same. first 2 nd rate
24.30	Loess 2 nd rate. Beech W.P. Oak. Hickory &c.	22.33	Land hilly. Oak, Ash, Beech, Poplar. Middling soil	5.7	Same 2 nd rate
26.37	Same	23.33	ditto	7.18	Same?
26.27	Same. part broken	23.26	Land hilly. Beech, Ash, Oak. Broken. middling soil	18.19	Same. 2 nd rate
25.26	Broken 2 nd rate	21.28	Broken 2 nd & 3 rd rates	19.30	Low wet bottom, grass, maple, Beech &c.
22.23	Same	20.23	ditto	30.31	Land mostly Beech bottom, middling good for farming
16.23	Same	16.21	Broken 2 nd rate. Beech W.P. Oak. Hickory		
14.18	Same. first 2 nd rate	16.17	Same		
11.12	Same	9.16	Same		
10.1	Same	8.9	Same		
2.1	Same	4.6	Same		
2.6	Same	11.5	Same		

8/ Township N. 10 North, Range N. 1 West of 2nd Meridian

Posts	Bearing trees	inches diam.	Courses they bear	Links dist.	Quality of the Soil
A Beech	12	14 1/2	E 25		
a do	12	15 1/2	N 55		
B W. Oak	24	13 1/2	N 10		
b Beech	18	14 1/2	E 24		
C Logwood	4	13 1/2	E 4		
c Hickory	11	14 1/2	N 14		
D W. Oak	18	14 1/2	N 9		
d Beech	4	15 1/2	E 44		
E W. Oak	4	15 1/2	E 44		
e Beech	7	14 1/2	N 15		
F Beech	8	15 1/2	N 14		
f Logwood	4	16 1/2	E 24		
G Beech	9	15 1/2	N 10		
g do	12	17 1/2	E 31		
H Beech	14	17 1/2	E 4		
h Logwood	4	18 1/2	N 10		
I Sugar	17	14 1/2	N 18		
i Beech	3	14 1/2	N 24		
J Beech	17	16 1/2	N 21		
k Poplar	33	14 1/2	N 16		
L Logwood	4	15 1/2	E 14		
l Beech	5	16 1/2	N 11		
M Oak	14	15 1/2	N 32		
m Water Oak	3	14 1/2	N 14		
N Ash	9	15 1/2	E 21		
n Hickory	7	16 1/2	N 8		
o Sugar	7	16 1/2	E 24		
a Hickory	12	15 1/2	N 16		
13. Oak	18	15 1/2	E 15		
14. Hickory	7	14 1/2	N 7		
15. Linn	16	15 1/2	E 6		
16. Beech	5	17 1/2	E 19		
17. Beech	12	18 1/2	N 34		
18. Linn	24	18 1/2	E 28		
19. Beech	10	18 1/2	E 9		
20. Ash	12	17 1/2	E 3		
21. Beech	18	18 1/2	N 19		
22. Ash	20	18 1/2	N 18		
23. Beech	10	18 1/2	E 15		
24. W. Oak	14	18 1/2	E 27		
25. Beech	5	18 1/2	E 23		
26. Beech	18	18 1/2	N 16		
27. Sugar	14	18 1/2	E 5		
28. Beech	12	18 1/2	E 28		
29. Ash	24	18 1/2	E 15		
30. Beech	14	18 1/2	E 27		
31. Beech	5	18 1/2	N 13		
32. do	12	18 1/2	E 28		
33. Beech	13	18 1/2	N 23		
34. Beech	13	18 1/2	N 13		
35. Logwood	4	18 1/2	E 16		
36. Beech	10	18 1/2	N 12		
37. do	20	18 1/2	E 40		
38. Ash	15	18 1/2	E 12		
39. Maple	8	18 1/2	N 15		
40. Maple	17	18 1/2	N 12		
41. W. Oak	5	18 1/2	E 1		
42. Beech	4	18 1/2	N 5		
43. W. Oak	14	18 1/2	N 2		
44. Beech	8	18 1/2	E 20		
45. Sugar	10	18 1/2	N 30		
46. Beech	14	18 1/2	E 17		
47. do	24	18 1/2	N 33		
48. Beech	12	18 1/2	N 24		
49. do	5	18 1/2	N 24		
50. Beech	9	18 1/2	E 26		
51. do	7	18 1/2	N 50		

Interior Section Corners described

From I to	Bearing trees	inches diam.	Courses they bear	Links dist.
23. 26. 35. 36	Beech	3	18 1/2 N 5	
23. 24. 25. 26	do	14	18 1/2 E 25	
13. 14. 23. 24	B. Oak	23	18 1/2 N 8	
11. 12. 13. 14	B. Gum	16	18 1/2 E 26	
1. 2. 11. 12	do	22	18 1/2 N 16	
26. 27. 34. 35	B. Gum	23	18 1/2 E 14	
27. 28. 36. 37	Beech	18	18 1/2 N 15	
14. 15. 22. 23	do	4	18 1/2 E 23	
19. 11. 14. 15	Maple	15	18 1/2 N 5	
2. 3. 10. 11	Maple	19	18 1/2 E 4	
27. 28. 33. 34	Beech	16	18 1/2 N 14	
21. 22. 27. 28	do	14	18 1/2 E 44	
15. 16. 21. 22	B. Gum	28	18 1/2 N 27	
9. 10. 15. 16	W. Oak	18	18 1/2 E 5	
3. 11. 9. 10	Beech	5	18 1/2 N 14	
28. 29. 32. 33	do	16	18 1/2 E 16	
20. 21. 28. 29	do	6	18 1/2 E 26	
16. 17. 20. 21	do	24	18 1/2 N 2	
8. 9. 16. 17	do	24	18 1/2 E 17	
4. 5. 8. 9	W. Oak	10	18 1/2 N 8	
24. 25. 31. 32	do	14	18 1/2 E 19	
19. 20. 29. 30	Logwood	8	18 1/2 N 8	
17. 18. 19. 20	do	5	18 1/2 E 14	
7. 8. 17. 18	Beech	26	18 1/2 E 13	
5. 6. 7. 8	do	7	18 1/2 N 24	


Anterior Quarter Section corners described

From I to	Bearing trees	inches diam.	Courses they bear	Links dist.
M to V at 1	Logwood	3	18 1/2 E 11	
2	Beech	18	18 1/2 N 16	
3	do	15	18 1/2 E 14	
4	do	18	18 1/2 E 22	
5	Logwood	5	18 1/2 E 9	
6	Logwood	5	18 1/2 N 13	
7	Beech	14	18 1/2 E 23	
8	do	9	18 1/2 N 25	
9	Beech	8	18 1/2 E 32	
10	do	11	18 1/2 N 15	
11	Beech	5	18 1/2 E 11	
12	do	10	18 1/2 E 13	
I to V at 1	Beech	18	18 1/2 E 13	
2	do	15	18 1/2 E 16	
3	W. Oak	23	18 1/2 E 11	
4	do	16	18 1/2 E 26	
5	Hickory	18	18 1/2 N 9	
6	Maple	14	18 1/2 E 22	
7	Beech	16	18 1/2 E 4	
8	Gray. Ash	33	18 1/2 E 20	
9	Sugar	12	18 1/2 N 30	
10	Hamwood	3	18 1/2 N 4	
11	do	7	18 1/2 N 7	
12	do	8	18 1/2 E 11	
K to W at 1	W. Oak	20	18 1/2 N 14	
2	Beech	16	18 1/2 E 34	
3	Beech	14	18 1/2 E 19	
4	do	15	18 1/2 N 11	
5	Sugar	16	18 1/2 E 15	
6	Beech	18	18 1/2 E 28	
7	Sugar	15	18 1/2 N 14	
8	Logwood	5	18 1/2 E 21	
9	Beech	22	18 1/2 E 28	
10	Beech	14	18 1/2 N 11	
11	Sugar	7	18 1/2 N 13	

Anterior Quarter Section corners described

From I to	Bearing trees	inches diam.	Courses they bear	Links dist.
I to X at 1	Beech	15	18 1/2 N 15	
2	do	14	18 1/2 N 25	
3	Beech	26	18 1/2 N 19	
4	do	28	18 1/2 E 28	
5	Logwood	4	18 1/2 N 28	
6	Beech	5	18 1/2 E 25	
7	W. Oak	3	18 1/2 N 13	
8	Logwood	4	18 1/2 E 16	
9	Hamwood	3	18 1/2 N 11	
10	Beech	4	18 1/2 E 16	
11	do	26	18 1/2 N 18	
12	do	16	18 1/2 E 19	
H to Y at 1	Beech	3	18 1/2 E 15	
2	W. Oak	112	18 1/2 N 9	
3	W. Oak	24	18 1/2 E 14	
4	B. Oak	34	18 1/2 N 18	
5	Beech	13	18 1/2 N 28	
6	Hickory	6	18 1/2 E 18	
7	Hickory	12	18 1/2 E 24	
8	Beech	14	18 1/2 E 30	
9	Hamwood	6	18 1/2 N 26	
10	Sugar	13	18 1/2 E 29	
11	Beech	14	18 1/2 N 19	
12	do	4	18 1/2 E 16	
O to F at 1	Beech	3	18 1/2 N 11	
2	do	18	18 1/2 E 14	
3	Beech	15	18 1/2 N 28	
4	do	6	18 1/2 E 27	
5	Beech	5	18 1/2 E 9	
6	Logwood	6	18 1/2 N 13	
7	Beech	4	18 1/2 E 8	
8	do	18	18 1/2 N 25	
9	Sugar	16	18 1/2 N 31	
10	do	17	18 1/2 E 16	
11	Beech	10	18 1/2 N 11	
12	do	6	18 1/2 E 12	
P to E at 1	Beech	6	18 1/2 N 12	
2	do	8	18 1/2 E 13	
3	Beech	4	18 1/2 N 19	
4	do	33	18 1/2 E 18	
5	Beech	22	18 1/2 E 19	
6	Sugar	8	18 1/2 N 18	
7	Beech	14	18 1/2 N 58	
8	do	8	18 1/2 E 24	
9	Beech	12	18 1/2 E 10	
10	Hickory	14	18 1/2 E 14	
11	do	18	18 1/2 N 8	
12	do	14	18 1/2 E 24	
13	do	24	18 1/2 N 20	
14	Hickory	5	18 1/2 E 19	
15	Beech	4	18 1/2 E 5	
16	do	14	18 1/2 N 16	
17	Beech	13	18 1/2 E 21	
18	do	6	18 1/2 N 25	
19	Sugar	4	18 1/2 N 25	
20	do	16	18 1/2 N 18	
21	Hickory	19	18 1/2 E 28	
22	Beech	4	18 1/2 N 15	
23	Logwood	17	18 1/2 E 22	
24	W. Oak	19	18 1/2 E 22	
K to G at 1	Beech	3	18 1/2 N 2	
2	do	14	18 1/2 E 21	
3	Sugar	9	18 1/2 E 1	
4	do	22	18 1/2 N 11	
5	Sugar	18	18 1/2 N 10	
6	Beech	20	18 1/2 E 31	
7	do	7	18 1/2 N 20	
8	do	16	18 1/2 E 22	
9	Beech	2	18 1/2 E 14	
10	Hamwood	2	18 1/2 N 4	
11	Beech	21	18 1/2 N 5	
12	do	3	18 1/2 E 10	
S to B at 1	Beech	4	18 1/2 E 16	
2	do	30	18 1/2 N 13	
3	Hamwood	4	18 1/2 N 4	
4	Beech	10	18 1/2 E 34	
5	Buckeye	8	18 1/2 E 12	
6	W. Oak	6	18 1/2 E 15	
7	Hamwood	3	18 1/2 E 8	
8	Logwood	4	18 1/2 N 18	
9	Beech	4	18 1/2 N 10	
10	W. Oak	17	18 1/2 E 14	
11	Logwood	6	18 1/2 N 11	
12	do	5	18 1/2 E 18	

INDIANA.
N & W 2 P. M.




N. 96 A

IND

Witnessed to a contract with and instructions from James Mansfield Esq. Surveyor General of the United States bearing date the day of
 have examined said act and survey of the above described township and do certify that it had such marks and bounds both natural and artificial as
 are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office
 Certified this 27th day of March 1836
 William Harris D.

Township N^o 10 North, Range N^o 1 West, 2nd Mer. Ind



Surveyed in 1816 by *William Harris* Deputy Surveyor.

I certify that the above is a true copy of the
recorded plat, in this Office.

Surveyor General's Office.
Cincinnati, Sept. 9. 1837

Robert J. Lytle S. G.


INDIANA.
N & W 2 P. M.



Genl's Office. March 2^d 1820 -

Edward H. Carr, Esq.

T 10 N. R 1 W. 2nd Mer. V




ent 1/2 off. 6. 68 50

The foregoing subdivisions of fractional sections
are truly copied from the original plat in this office
Surveyor General's Office
Cincinnati Jan. 20. 1834.


M. T. Williams
Sur. Genl.

Copy?

710 St. R. 1st ~~ex~~ Mut. 2nd ell.



The foregoing subdivisions of fractional sections
are truly Copies from the Original filed in this office
Surveyor General Office.
Cincinnati Nov 2^d 1833. } M. T. Williams
Sur. Genl.



The foregoing subdivisions of fractional sections are truly
 Copied from the original plat in this office.
 Surveyor General's Office
 Cincinnati Mo. 27. 1853

M. T. Morris
 Surveyor

Pursuant to a Contract with and Instructions from Jared Mansfield Esq^r Surveyor General of the United States bearend date the day of I have admonished laid out and surveyed the above described township and do certify that it had such marks and bounds both natural and artificial as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office.

Witness my hand and seal this 27th day of March 1876

William Harris Esq

10


11

Pursuant to a Contract with and Instructions from Jared Mansfield Esq Surveyor General of the United States bearing date the day of I have examined laid out and surveyed the above described township and do certify that it has such marks and bounds both natural and artificial as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office.

Witness my hand and seal this 27th day of March 1876

William Harvey

18



James G. Thompson, March 10, 1902